
Stocking List

Concrete Anchors · Wedge, Sleeve, Screw, Drop-In & More



***** = listed on nutty.com (SKU shown). Blank = size not listed online — call or email for availability.

1. Stud Anchors (Wedge Anchors) – Plated Steel
2. Stud Anchors (Wedge Anchors) – Galvanized Steel
3. Stud Anchors (Wedge Anchors) – 18-8 Stainless Steel
4. Hex Head Sleeve Anchors – Plated Steel
5. Hex Head Sleeve Anchors – 18-8 Stainless Steel
6. Flat Head Sleeve Anchors – Plated Steel · 18-8 Stainless Steel
7. Concrete Screws – Hex Washer Head – Blue · 410 Stainless Steel
8. Concrete Screws – Phillips Flat Head – Blue · 410 Stainless Steel
9. Concrete Power Screws – Zinc Plated
10. Concrete Power Screws – Galvanized
11. Drop-In Anchors – Plated Steel · 18-8 Stainless Steel
12. Nail-In Anchors – Zinc Alloy with Plated Steel Nail
13. L Anchors (Foundation Bolts) – Grade 36 – Galvanized · ASTM F1554 Grade 36
14. L Anchors (Foundation Bolts) – Grade 55 – Galvanized · ASTM F1554 Grade 55
15. Bolt Anchors & Lag Screw Shields – Bolt Anchors: Plated Steel · Lag Shields: Zinc Alloy
16. Plastic Anchors & Epoxy

Stud Anchors (Wedge Anchors)

Plated Steel



* = listed on nutty.com · 41 sizes listed · SKU under each size

Length ↓ Diameter →	1/4"	3/8"	1/2"	5/8"	3/4"	7/8"	1"	1-1/4"
1-3/4"	* WEJ14134							
2-1/4"	* WEJ14214	* WEJ38214						
2-3/4"		* WEJ38234	* WEJ12234					
3"		* WEJ383						
3-1/4"	* WEJ14314							
3-1/2"				* WEJ58312				
3-3/4"		* WEJ38334	* WEJ12334					
4-1/4"			* WEJ12414	* WEJ58414	* WEJ34414			
4-1/2"			* WEJ12412					
4-3/4"					* WEJ34434			
5"		* WEJ385		* WEJ585				
5-1/2"			* WEJ12512		* WEJ34512			
6"				* WEJ586		* WEJ786	* WEJ16	
6-1/4"					* WEJ34614			
7"		* WEJ387	* WEJ127	* WEJ587	* WEJ347			
8"						* WEJ788		
8-1/2"			* WEJ12812	* WEJ58812	* WEJ34812			
9"							* WEJ19	* WEJ1149
10"			* WEJ1210	* WEJ5810	* WEJ3410	* WEJ7810		
12"				* WEJ5812	* WEJ3412		* WEJ112	* WEJ11412

Length = overall length. Supplied with nut & washer. Blank = size not listed online; call for availability.

Stud Anchors (Wedge Anchors)

Galvanized Steel



* = listed on nutty.com · 41 sizes listed · SKU under each size

Length ↓ Diameter →	1/4"	3/8"	1/2"	5/8"	3/4"	7/8"	1"	1-1/4"
1-3/4"	* GWEJ14134							
2-1/4"	* GWEJ14214	* GWEJ38214						
2-3/4"		* GWEJ38234	* GWEJ12234					
3"		* GWEJ383						
3-1/4"	* GWEJ14314							
3-1/2"				* GWEJ58312				
3-3/4"		* GWEJ38334	* GWEJ12334					
4-1/4"			* GWEJ12414	* GWEJ58414	* GWEJ34414			
4-1/2"				* GWEJ58412				
4-3/4"					* GWEJ34434			
5"		* GWEJ385		* GWEJ585				
5-1/2"			* GWEJ12512		* GWEJ34512			
6"				* GWEJ586		* GWEJ786	* GWEJ16	
6-1/4"					* GWEJ34614			
7"		* GWEJ387	* GWEJ127	* GWEJ587	* GWEJ347			
8"						* GWEJ788		
8-1/2"			* GWEJ12812	* GWEJ58812	* GWEJ34812			
9"							* GWEJ19	* GWEJ1149
10"			* GWEJ1210	* GWEJ5810	* GWEJ3410	* GWEJ7810		
12"				* GWEJ5812	* GWEJ3412		* GWEJ112	* GWEJ11412

Length = overall length. Supplied with nut & washer. Blank = size not listed online; call for availability.

Stud Anchors (Wedge Anchors)

18-8 Stainless Steel



* = listed on nutty.com · 38 sizes listed · SKU under each size

Length ↓ Diameter →	1/4"	3/8"	1/2"	5/8"	3/4"	7/8"	1"
1-3/4"	* XWEJ14134						
2-1/4"	* XWEJ14214	* XWEJ38214					
2-3/4"		* XWEJ38234	* XWEJ12234				
3"		* XWEJ383					
3-1/4"	* XWEJ14314						
3-1/2"				* XWEJ58312			
3-3/4"		* XWEJ38334	* XWEJ12334				
4-1/4"			* XWEJ12414	* XWEJ58414	* XWEJ34414		
4-1/2"			* XWEJ12412				
4-3/4"					* XWEJ34434		
5"		* XWEJ385		* XWEJ585			
5-1/2"			* XWEJ12512		* XWEJ34512		
6"				* XWEJ586		* XWEJ786	* XWEJ16
6-1/4"					* XWEJ34614		
7"		* XWEJ387	* XWEJ127	* XWEJ587	* XWEJ347		
8"						* XWEJ788	
8-1/2"			* XWEJ12812	* XWEJ58812	* XWEJ34812		
9"							* XWEJ19
10"			* XWEJ1210	* XWEJ5810	* XWEJ3410	* XWEJ7810	
12"					* XWEJ3412		* XWEJ112

Length = overall length. Supplied with nut & washer. Blank = size not listed online; call for availability.

Hex Head Sleeve Anchors

Plated Steel



* = listed on nutty.com · 18 sizes listed · SKU under each size

Length ↓ Diameter →	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"
1-3/8"	* HSA14138					
1-1/2"		* HSA516112				
1-7/8"			* HSA38178			
2-1/4"	* HSA14214			* HSA12214	* HSA58214	
2-1/2"		* HSA516212				* HSA34212
3"			* HSA383	* HSA123	* HSA583	
4"			* HSA384	* HSA124		
4-1/4"					* HSA58414	* HSA34414
6"				* HSA126	* HSA586	
6-1/4"						* HSA34614

Diameter = anchor (sleeve) diameter = drill bit size. Length = overall length. Blank = size not listed online; call for availability.

Hex Head Sleeve Anchors

18-8 Stainless Steel



* = listed on nutty.com · 10 sizes listed · SKU under each size · **grey SKU** = in system, not shown online

Length ↓ Diameter →	1/4"	5/16"	3/8"	1/2"	5/8"
1-3/8"	* XHSA14138				
1-1/2"		* XHSA516112			
1-7/8"			* XHSA38178		
2-1/4"	XHSA14214			* XHSA12214	
2-1/2"		* XHSA516212			
3"			* XHSA383	* XHSA123	
4"			* XHSA384	* XHSA124	
4-1/4"					* XHSA58414

Diameter = anchor (sleeve) diameter = drill bit size. Length = overall length. Blank = size not listed online; call for availability.

Flat Head Sleeve Anchors

Plated Steel · 18-8 Stainless Steel



* = listed on nutty.com · 13 sizes listed · SKU under each size · **grey SKU** = in system, not shown online

Length ↓ Diameter →	Plated		18-8 Stainless	
	1/4"	3/8"	1/4"	3/8"
2"	* FSA142		* XFSA142	
2-3/4"		* FSA38234		
3"		* FSA383	* XFSA143	XFSA383
3-1/4"	* FSA14314			
4"	* FSA144	* FSA384		* XFSA384
5"		* FSA385		* XFSA385
6"		* FSA386		* XFSA386

Diameter = anchor (sleeve) diameter = drill bit size. Length = overall length. Blank = size not listed online; call for availability.

Concrete Screws – Hex Washer Head

Blue · 410 Stainless Steel



* = listed on nutty.com · 21 sizes listed · SKU under each size

Length ↓ Diameter →	Blue		410 Stainless
	3/16"	1/4"	1/4"
1-1/4"	* TCH316114	* TCH14114	* XTCH14114
1-3/4"	* TCH316134	* TCH14134	* XTCH14134
2-1/4"	* TCH316214	* TCH14214	* XTCH14214
2-3/4"	* TCH316234	* TCH14234	* XTCH14234
3-1/4"	* TCH316314	* TCH14314	* XTCH14314
3-3/4"	* TCH316334	* TCH14334	
4"	* TCH3164	* TCH144	
5"		* TCH145	
6"		* TCH146	

Blue = sold 100 per box with drill bit; 410 Stainless sold each. Length measured under the head. Blank = size not listed online; call for availability.

Concrete Screws – Phillips Flat Head

Blue · 410 Stainless Steel



* = listed on nutty.com · 21 sizes listed · SKU under each size

Length ↓ Diameter →	Blue		410 Stainless
	3/16"	1/4"	1/4"
1-1/4"	* TCF316114	* TCF14114	* XTCF14114
1-3/4"	* TCF316134	* TCF14134	* XTCF14134
2-1/4"	* TCF316214	* TCF14214	* XTCF14214
2-3/4"	* TCF316234	* TCF14234	* XTCF14234
3-1/4"	* TCF316314	* TCF14314	* XTCF14314
3-3/4"	* TCF316334	* TCF14334	
4"	* TCF3164	* TCF144	
5"		* TCF145	
6"		* TCF146	

Blue = sold 100 per box with drill bit; 410 Stainless sold each. Length = overall length. Blank = size not listed online; call for availability.

Concrete Power Screws

Zinc Plated



* = listed on nutty.com · 19 sizes listed · SKU under each size

Length ↓ Diameter →	1/4"	3/8"	1/2"	5/8"	3/4"
3"		* PSZ383	* PSZ123	* PSZ583	
4"		* PSZ384	* PSZ124	* PSZ584	* PSZ344
5"		* PSZ385	* PSZ125	* PSZ585	* PSZ345
6"		* PSZ386	* PSZ126	* PSZ586	* PSZ346
8"			* PSZ128	* PSZ588	* PSZ348
10"					* PSZ3410

Length measured under the head. Blank = size not listed online; call for availability.

Concrete Power Screws

Galvanized



* = listed on nutty.com · 21 sizes listed · SKU under each size

Length ↓ Diameter →	1/4"	3/8"	1/2"	5/8"	3/4"
1-3/4"	* PS14134				
2-1/4"	* PS14214				
3"	* PS143	* PS383	* PS123		
4"		* PS384	* PS124	* PS584	* PS344
5"		* PS385	* PS125	* PS585	* PS345
6"		* PS386	* PS126	* PS586	* PS346
7"			* PS127	* PS587	* PS347
8"				* PS588	

Length measured under the head. Blank = size not listed online; call for availability.

Drop-In Anchors

Plated Steel · 18-8 Stainless Steel



* = listed on nutty.com · 15 sizes listed · SKU under each size

Thread size	Drop-In Anchor	Drop-In Anchor 18-8 Stainless	Install Tool
1/4"-20	* DIA14	* XDIA14	* DIAT14
3/8"-16	* DIA38	* XDIA38	* DIAT38
1/2"-13	* DIA12	* XDIA12	* DIAT12
5/8"-11	* DIA58	* XDIA58	* DIAT58
3/4"-10	* DIA34	* XDIA34	* DIAT34

Size = internal thread (bolt) size. Blank = size not listed online; call for availability.

Nail-In Anchors

Zinc Alloy with Plated Steel Nail



* = listed on nutty.com · 9 sizes listed · SKU under each size

Length ↓ Diameter →	3/16"	1/4"
3/4"		* NIA1434
7/8"	* NIA31678	
1"		* NIA141
1-1/4"		* NIA14114
1-1/2"		* NIA14112
2"		* NIA142
2-1/2"		* NIA14212
3"		* NIA143
4"		* NIA144

Length = overall length. Blank = size not listed online; call for availability.

L Anchors (Foundation Bolts) – Grade 36

Galvanized · ASTM F1554 Grade 36



* = listed on nutty.com · 16 sizes listed · SKU under each size · **grey SKU** = in system, not shown online

Length ↓ Thread size →	1/2"-13	5/8"-11	3/4"-10	1"-8
8"	* GLA12138			
10"	* GLA121310			
12"	* GLA121312	* GLA581112	GLA341012	
16"		* GLA581116	* GLA341016	
18"		* GLA581118	* GLA341018	
20"			* GLA341020	
24"		* GLA581124	* GLA341024	* GLA1824
30"			* GLA341030	* GLA1830
36"			* GLA341036	* GLA1836

Supplied with nut & washer. Length = overall length. Blank = size not listed online; call for availability.

L Anchors (Foundation Bolts) – Grade 55



Galvanized · ASTM F1554 Grade 55

* = listed on nutty.com · 6 sizes listed · SKU under each size

Length ↓ Thread size →	3/4"-10	1"-8	1-1/4"-7
18"	* GLA55341018		
24"	* GLA55341024		
30"	* GLA55341030		
36"	* GLA55341036	* GLA551836	* GLA55114736

Made in USA. Length = overall length. Blank = size not listed online; call for availability.

Bolt Anchors & Lag Screw Shields

Bolt Anchors: Plated Steel · Lag Shields: Zinc Alloy



* = listed on nutty.com · 20 sizes listed · SKU under each size

Single & Double Bolt Anchors – Plated Steel

Thread size	Single Bolt Anchor	Double Bolt Anchor
1/4"-20	* SBA14	* DBA14
5/16"-18	* SBA516	* DBA516
3/8"-16	* SBA38	* DBA38
1/2"-13	* SBA12	* DBA12
5/8"-11	* SBA58	* DBA58

Lag Screw Shields – Zinc Alloy

Lag screw size	Short	Long
1/4"	* LS14S	* LS14L
5/16"	* LS516S	* LS516L
3/8"	* LS38S	* LS38L
1/2"	* LS12S	* LS12L
5/8"	* LS58S	* LS58L

Bolt anchor size = machine bolt thread size. Blank = size not listed online; call for availability.

Plastic Anchors & Epoxy



* = listed on nutty.com · 7 sizes listed · SKU under each size · **grey SKU** = in system, not shown online

Plastic Anchors

Anchor / drill size	Conical Anchor – Box of 100	Anchor Kit (screws + masonry bit)
3/16" · #4-#6-#8 × 3/4"	* PAC316	* PAK316
1/4" · #10-#12 × 1"	* PAC14	* PAK14
5/16" · #14-#16 × 1-3/8"	* PAC516	* PAK516

Concrete Epoxy Anchors

Item	Stocked
10 oz. Concrete Epoxy Anchor	* ACR10
10.1 oz. Concrete Epoxy Anchor	EAW10

Plastic anchors: row shows the screw sizes each anchor takes. Blank = size not listed online; call for availability.