

Stocking List

Galvanized Fasteners · Hot-Dip Galvanized Steel



* = listed on nutty.com (SKU shown). Blank = standard size not listed online — call or email for availability.

- | | |
|--|---|
| 1. Hex Bolts – ASTM A307 Grade A | 12. Hex Nuts |
| 2. Carriage Bolts – ASTM A307 Grade A | 13. Heavy Hex Nuts – ASTM A563 Grade A |
| 3. Hex Lag Screws – ASME B18.2.1 | 14. Structural Heavy Hex Nuts – 2H – ASTM A194 Grade 2H |
| 4. Timber Bolts – ASTM A307 | 15. Rod Coupling Nuts |
| 5. Forged Eye Bolts with Nut | 16. Eye Nuts |
| 6. Shouldered Eye Bolts with Nut | 17. Threaded Rod |
| 7. Lag Screw Eyes | 18. USS Flat Washers |
| 8. L Anchors (Foundation Bolts) – Grade 36 – ASTM F1554 Grade 36 | 19. SAE Flat Washers |
| 9. L Anchors (Foundation Bolts) – Grade 55 – ASTM F1554 Grade 55 | 20. Structural Flat Washers – F436 – ASTM F436 |
| 10. Concrete Stud Anchors (Wedge Anchors) | 21. Split Lock Washers |
| 11. Concrete Power Screws | 22. Dock Washers |
| | 23. Ogee Washers |
| | 24. Square Plate Washers |

The Nutty Company, Inc. · sales@nutty.com · Most in-stock orders received by 12:00 noon EST ship the same day.

Hex Bolts

Hot-Dip Galvanized Steel · ASTM A307 Grade A



* = listed on nutty.com · 132 sizes listed · SKU under each size · grey SKU = in system, not shown online

Length ↓ Diameter →	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	7/8"	1"	1-1/4"	1-1/2"
Threads / inch	20	18	16	13	11	10	9	8	7	6
1"	* GHB14201 †	* GHB516181 †	* GHB38161 †	* GHB12131 †	* GHB58111 †					
1-1/4"		* GHB51618114 †	* GHB3816114 †	* GHB1213114 †	* GHB5811114 †					
1-1/2"	* GHB1420112	* GHB51618112	* GHB3816112	* GHB1213112	* GHB5811112 †					
1-3/4"		* GHB51618134	* GHB3816134							
2"	* GHB14202	* GHB516182	* GHB38162	* GHB12132	* GHB58112	* GHB34102 †				
2-1/2"	* GHB1420212	* GHB51618212	* GHB3816212	* GHB1213212	* GHB5811212	* GHB3410212		* GHB18212 †		
3"	* GHB14203	* GHB516183	* GHB38163	* GHB12133	* GHB58113	* GHB34103		* GHB183		
3-1/2"	* GHB1420312	* GHB51618312	* GHB3816312	* GHB1213312	* GHB5811312	* GHB3410312		* GHB18312		
4"	* GHB14204	* GHB516184	* GHB38164	* GHB12134	* GHB58114	* GHB34104		* GHB184		
4-1/2"		* GHB51618412	* GHB3816412	* GHB1213412	* GHB5811412	* GHB3410412		* GHB18412		
5"	* GHB14205	* GHB516185	* GHB38165	* GHB12135	* GHB58115	* GHB34105		* GHB185		
5-1/2"										
6"	* GHB14206	* GHB516186	* GHB38166	* GHB12136	* GHB58116	* GHB34106 †		* GHB186	* GHB11476	
7"	* GHB14207	GHB516187	* GHB38167	* GHB12137	* GHB58117	* GHB34107		* GHB187	* GHB11477	
8"			* GHB38168	* GHB12138	* GHB58118	* GHB34108		* GHB188	* GHB11478	
9"			* GHB38169	* GHB12139	* GHB58119	* GHB34109		* GHB189	* GHB11479	
10"			* GHB381610	* GHB121310	* GHB581110	* GHB341010		* GHB1810	* GHB114710	
11"			* GHB381611	* GHB121311	* GHB581111	* GHB341011		* GHB1811		
12"			* GHB381612	* GHB121312	* GHB581112	* GHB341012		* GHB1812	* GHB114712	
14"				* GHB121314	* GHB581114	* GHB341014		* GHB1814		
16"				* GHB121316	* GHB581116	* GHB341016		* GHB1816	* GHB114716	
18"				* GHB121318	* GHB581118	* GHB341018		* GHB1818		
20"				* GHB121320	* GHB581120	* GHB341020		* GHB1820		
22"				* GHB121322	* GHB581122	* GHB341022		* GHB1822		
24"				* GHB121324	* GHB581124	* GHB341024				
26"										
28"										
30"										
36"						* GHB341036				

Carriage Bolts

Hot-Dip Galvanized Steel · ASTM A307 Grade A



* = listed on nutty.com · 104 sizes listed · SKU under each size · grey SKU = in system, not shown online

Length ↓ Diameter →	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"
Threads / inch	20	18	16	13	11	10
1"	* GC14201 †	* GC516181 †	* GC38161 †	* GC12131 †		
1-1/4"	* GC1420114 †	* GC51618114 †	* GC3816114 †	* GC1213114 †		
1-1/2"	* GC1420112 †	* GC51618112 †	* GC3816112 †	* GC1213112 †		
1-3/4"	* GC1420134 †	* GC51618134 †		* GC1213134 †		
2"	* GC14202 †	* GC516182 †	* GC38162 †	* GC12132 †	* GC58112 †	
2-1/2"	* GC1420212 †	* GC51618212 †	* GC3816212 †	* GC1213212 †	* GC5811212 †	* GC3410212 †
3"	* GC14203 †	* GC516183 †	* GC38163 †	* GC12133 †	* GC58113 †	* GC34103 †
3-1/2"	* GC1420312 †	* GC51618312 †	* GC3816312 †	* GC1213312 †	* GC5811312 †	* GC3410312 †
4"	* GC14204 †	* GC516184 †	* GC38164 †	* GC12134 †	* GC58114 †	* GC34104 †
4-1/2"	* GC1420412 †	* GC51618412 †	* GC3816412 †	* GC1213412 †	* GC5811412 †	* GC3410412 †
5"	* GC14205 †	* GC516185 †	* GC38165 †	* GC12135 †	* GC58115 †	* GC34105 †
5-1/2"						
6"	* GC14206 †	* GC516186 †	* GC38166 †	* GC12136 †	* GC58116 †	* GC34106 †
7"	GC14207	* GC516187	* GC38167	* GC12137	* GC58117	* GC34107
8"	* GC14208	* GC516188	* GC38168	* GC12138	* GC58118	* GC34108
9"			* GC38169	* GC12139	* GC58119	* GC34109
10"			* GC381610	* GC121310	* GC581110	* GC341010
11"			* GC381611	* GC121311	* GC581111	* GC341011
12"			* GC381612	* GC121312	* GC581112	* GC341012
14"				* GC121314	* GC581114	* GC341014
16"				* GC121316	* GC581116	* GC341016
18"				* GC121318	* GC581118	* GC341018
20"				* GC121320	* GC581120	* GC341020
22"						
24"				* GC121324	* GC581124	* GC341024

Hex Lag Screws

Hot-Dip Galvanized Steel · ASME B18.2.1



* = listed on nutty.com · 95 sizes listed · SKU under each size

Length ↓ Diameter →	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"
1"	*	*	*			
	GL141	GL5161	GL381			
1-1/4"	*	*	*			
	GL14114	GL516114	GL38114			
1-1/2"	*	*	*	*		
	GL14112	GL516112	GL38112	GL12112		
1-3/4"						
2"	*	*	*	*	*	
	GL142	GL5162	GL382	GL122	GL582	
2-1/2"	*	*	*	*	*	*
	GL14212	GL516212	GL38212	GL12212	GL58212	GL34212
3"	*	*	*	*	*	*
	GL143	GL5163	GL383	GL123	GL583	GL343
3-1/2"	*	*	*	*	*	*
	GL14312	GL516312	GL38312	GL12312	GL58312	GL34312
4"	*	*	*	*	*	*
	GL144	GL5164	GL384	GL124	GL584	GL344
4-1/2"	*	*	*	*	*	*
	GL14412	GL516412	GL38412	GL12412	GL58412	GL34412
5"	*	*	*	*	*	*
	GL145	GL5165	GL385	GL125	GL585	GL345
5-1/2"						
6"	*	*	*	*	*	*
	GL146	GL5166	GL386	GL126	GL586	GL346
7"			*	*	*	*
			GL387	GL127	GL587	GL347
8"			*	*	*	*
			GL388	GL128	GL588	GL348
9"			*	*	*	*
			GL389	GL129	GL589	GL349
10"			*	*	*	*
			GL3810	GL1210	GL5810	GL3410
11"						
12"			*	*	*	*
			GL3812	GL1212	GL5812	GL3412
14"				*	*	*
				GL1214	GL5814	GL3414
16"				*	*	*
				GL1216	GL5816	GL3416
18"				*	*	*
				GL1218	GL5818	GL3418
20"				*	*	*
				GL1220	GL5820	GL3420
22"				*	*	*
				GL1222	GL5822	GL3422
24"				*	*	*
				GL1224	GL5824	GL3424

Timber Bolts

Hot-Dip Galvanized Steel · ASTM A307

* = listed on nutty.com · 20 sizes listed · SKU under each size



Length ↓ Diameter →	1/2"	5/8"	3/4"
Threads / inch	13	11	10
6"	* GTB12136	* GTB58116	
7"			
8"	* GTB12138	* GTB58118	
9"			
10"	* GTB121310	* GTB581110	
11"			
12"	* GTB121312	* GTB581112	* GTB341012
14"			
16"		* GTB581116	* GTB341016
18"		* GTB581118	* GTB341018
20"		* GTB581120	* GTB341020
22"		* GTB581122	* GTB341022
24"		* GTB581124	* GTB341024
26"		* GTB581126	

Forged Eye Bolts with Nut

Hot-Dip Galvanized Steel



* = listed on nutty.com · 41 sizes listed · SKU under each size · grey SKU = in system, not shown online

Length ↓ Diameter →	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	7/8"	1"	1-1/4"
Threads / inch	20	18	16	13	11	10	9	8	7
2"	* GEB142								
2-1/4"		* GEB516214							
2-1/2"			* GEB38212						
3"	* GEB143		* GEB383						
3-1/4"		* GEB516314		GEB12314					
4"	* GEB144				* GEB584				
4-1/4"		* GEB516414							
4-1/2"			* GEB38412	* GEB12412		* GEB34412			
6"	* GEB146		* GEB386	* GEB126	* GEB586	* GEB346		* GEB16	
8"			* GEB388	* GEB128	* GEB588	* GEB348			
9"								* GEB19	
10"				* GEB1210	* GEB5810	* GEB3410			
12"				* GEB1212	* GEB5812	* GEB3412		* GEB112	* GEB11412
15"					* GEB5815	* GEB3415			
18"					* GEB5818	* GEB3418		* GEB118	
20"					* GEB5820				* GEB11420
24"					* GEB5824	* GEB3424		* GEB1X24	

Shouldered Eye Bolts with Nut

Hot-Dip Galvanized Steel



* = listed on nutty.com · 20 sizes listed · SKU under each size

Length ↓ Diameter →	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	7/8"	1"
Threads / inch	20	18	16	13	11	10	9	8
2"	* GSEB142			* GSEB122				
2-1/4"		* GSEB516214						
2-1/2"			* GSEB38212					
3-1/4"				* GSEB12314				
4"	* GSEB144				* GSEB584			
4-1/4"		* GSEB516414						
4-1/2"			* GSEB38412	* GSEB12412		* GSEB34412		
5"							* GSEB785	
6"				* GSEB126	* GSEB586	* GSEB346		* GSEB16
8"						* GSEB348	* GSEB788	
9"								* GSEB19
12"								* GSEB112

The Nutty Company, Inc. · www.nutty.com · 203-877-1709 · sales@nutty.com

Length = shank length below the eye. Working load limits shown on nutty.com. Blank = standard size not listed online; call for availability.

6/24

Lag Screw Eyes

Hot-Dip Galvanized Steel



* = listed on nutty.com · 7 sizes listed · SKU under each size

Length ↓ Diameter →	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"
2"	* GLSE142						
2-1/4"		* GLSE516214					
2-1/2"			* GLSE38212				
3-1/4"				* GLSE12314			
4"					* GLSE584		
4-1/2"						* GLSE34412	
6"							* GLSE16

L Anchors (Foundation Bolts) – Grade 36

Hot-Dip Galvanized Steel · ASTM F1554 Grade 36



* = listed on nutty.com · 16 sizes listed · SKU under each size · grey SKU = in system, not shown online

Length ↓ Diameter →	1/2"	5/8"	3/4"	7/8"	1"
Threads / inch	13	11	10	9	8
8"	* GLA12138				
10"	* GLA121310				
12"	* GLA121312	* GLA581112	GLA341012		
16"		* GLA581116	* GLA341016		
18"		* GLA581118	* GLA341018		
20"			* GLA341020		
24"		* GLA581124	* GLA341024		* GLA1824
30"			* GLA341030		* GLA1830
36"			* GLA341036		* GLA1836

L Anchors (Foundation Bolts) – Grade 55

Hot-Dip Galvanized Steel · ASTM F1554 Grade 55



* = listed on nutty.com · 6 sizes listed · SKU under each size

Length ↓ Diameter →	3/4"	7/8"	1"	1-1/4"
Threads / inch	10	9	8	7
18"	* GLA55341018			
24"	* GLA55341024			
30"	* GLA55341030			
36"	* GLA55341036		* GLA551836	* GLA55114736

Concrete Stud Anchors (Wedge Anchors)

Hot-Dip Galvanized Steel



* = listed on nutty.com · 41 sizes listed · SKU under each size

Length ↓ Diameter →	1/4"	3/8"	1/2"	5/8"	3/4"	7/8"	1"	1-1/4"
1-3/4"	* GWEJ14134							
2-1/4"	* GWEJ14214	* GWEJ38214						
2-3/4"		* GWEJ38234	* GWEJ12234					
3"		* GWEJ383						
3-1/4"	* GWEJ14314							
3-1/2"				* GWEJ58312				
3-3/4"		* GWEJ38334	* GWEJ12334					
4-1/4"			* GWEJ12414	* GWEJ58414	* GWEJ34414			
4-1/2"				* GWEJ58412				
4-3/4"					* GWEJ34434			
5"		* GWEJ385		* GWEJ585				
5-1/2"			* GWEJ12512		* GWEJ34512			
6"				* GWEJ586		* GWEJ786	* GWEJ16	
6-1/4"					* GWEJ34614			
7"		* GWEJ387	* GWEJ127	* GWEJ587	* GWEJ347			
8"						* GWEJ788		
8-1/2"			* GWEJ12812	* GWEJ58812	* GWEJ34812			
9"							* GWEJ19	* GWEJ1149
10"			* GWEJ1210	* GWEJ5810	* GWEJ3410	* GWEJ7810		
12"				* GWEJ5812	* GWEJ3412		* GWEJ112	* GWEJ11412

Concrete Power Screws

Hot-Dip Galvanized Steel



* = listed on nutty.com · 21 sizes listed · SKU under each size

Length ↓ Diameter →	1/4"	3/8"	1/2"	5/8"	3/4"
1-3/4"	* PS14134				
2-1/4"	* PS14214				
3"	* PS143	* PS383	* PS123		
4"		* PS384	* PS124	* PS584	* PS344
5"		* PS385	* PS125	* PS585	* PS345
6"		* PS386	* PS126	* PS586	* PS346
7"			* PS127	* PS587	* PS347
8"				* PS588	

Hex Nuts

Hot-Dip Galvanized Steel



* = listed on nutty.com · 11 sizes listed · SKU under each size

Thread size	Stocked
1/4"-20	* GHN1420
5/16"-18	* GHN51618
3/8"-16	* GHN3816
1/2"-13	* GHN1213
5/8"-11	* GHN5811
3/4"-10	* GHN3410
7/8"-9	* GHN789
1"-8	* GHN18
1-1/8"-7	* GHN1187
1-1/4"-7	* GHN1147
1-1/2"-6	* GHN1126

Heavy Hex Nuts

Hot-Dip Galvanized Steel · ASTM A563 Grade A

* = listed on nutty.com · 9 sizes listed · SKU under each size



Thread size	Stocked
3/8"-16	* GHHN3816
1/2"-13	* GHHN1213
5/8"-11	* GHHN5811
3/4"-10	* GHHN3410
7/8"-9	* GHHN789
1"-8	* GHHN18
1-1/8"-7	* GHHN1187
1-1/4"-7	* GHHN1147
1-1/2"-6	* GHHN1126

Structural Heavy Hex Nuts – 2H

Hot-Dip Galvanized Steel · ASTM A194 Grade 2H

* = listed on nutty.com · 8 sizes listed · SKU under each size



Thread size	Stocked
1/2"-13	* G2HHN1213
5/8"-11	* G2HHN5811
3/4"-10	* G2HHN3410
7/8"-9	* G2HHN789
1"-8	* G2HHN18
1-1/8"-7	* G2HHN1187
1-1/4"-7	* G2HHN1147
1-1/2"-6	* G2HHN1126

Rod Coupling Nuts

Hot-Dip Galvanized Steel



* = listed on nutty.com · 9 sizes listed · SKU under each size

Thread size ↓ Length →	1-3/4" long	2-1/8" long	2-1/4" long	2-1/2" long	2-3/4" long	3" long	4" long
3/8"-16	* GRC3816						
1/2"-13	* GRC1213						
5/8"-11		* GRC5811					
3/4"-10			* GRC3410				
7/8"-9				* GRC789			
1"-8					* GRC18		
1-1/8"-7						* GRC1187	
1-1/4"-7						* GRC1147	
1-1/2"-6							* GRC1126

Eye Nuts

Hot-Dip Galvanized Steel



* = listed on nutty.com · 9 sizes listed · SKU under each size · grey SKU = in system, not shown online

Thread size	Standard	Oversized
1/4"-20	* GEN1420	
5/16"-18	* GEN51618	
3/8"-16	* GEN3816	GENO3816
1/2"-13	* GEN1213	GENO1213
5/8"-11	* GEN5811	GENO5811
3/4"-10	* GEN3410	
7/8"-9	* GEN789	
1"-8	* GEN18	
1-1/8"-7		
1-1/4"-7	* GEN1147	

Threaded Rod

Hot-Dip Galvanized Steel



* = listed on nutty.com · 14 sizes listed · SKU under each size · grey SKU = in system, not shown online

Thread size	3 ft	6 ft	10 ft	12 ft
3/8"-16	* GTR33816	* GTR63816		
1/2"-13	* GTR31213	* GTR61213	GTR101213	GTR121213
5/8"-11	* GTR35811	* GTR65811	GTR105811	GTR125811
3/4"-10	* GTR33410	* GTR63410	GTR103410	GTR123410
7/8"-9		* GTR6789	GTR10789	GTR12789
1"-8	* GTR318	* GTR618	GTR1018	GTR1218
1-1/8"-7		* GTR61187	GTR101187	GTR121187
1-1/4"-7		* GTR61147	GTR101147	GTR121147
1-1/2"-6		* GTR61126	GTR101126	GTR121126

USS Flat Washers

Hot-Dip Galvanized Steel



* = listed on nutty.com · 11 sizes listed · SKU under each size

Bolt size	Stocked
1/4" · 3/4" O.D.	* GFW14
5/16" · 7/8" O.D.	* GFW516
3/8" · 1" O.D.	* GFW38
1/2" · 1-3/8" O.D.	* GFW12
5/8" · 1-3/4" O.D.	* GFW58
3/4" · 2" O.D.	* GFW34
7/8" · 2-1/4" O.D.	* GFW78
1" · 2-1/2" O.D.	* GFW1
1-1/8" · 2-3/4" O.D.	* GFW118
1-1/4" · 3" O.D.	* GFW114
1-1/2" · 3-1/2" O.D.	* GFW112

SAE Flat Washers

Hot-Dip Galvanized Steel



* = listed on nutty.com · 3 sizes listed · SKU under each size

Bolt size	Stocked
1/4"	
5/16"	
3/8"	
1/2" · 1-1/16" O.D.	* GSFW12
5/8" · 1-5/16" O.D.	* GSFW58
3/4" · 1-1/2" O.D.	* GSFW34
7/8"	
1"	

Structural Flat Washers – F436

Hot-Dip Galvanized Steel · ASTM F436



* = listed on nutty.com · 4 sizes listed · SKU under each size

Bolt size	Stocked
1/2" · 1-1/16" O.D.	* GF43612
5/8" · 1-5/16" O.D.	* GF43658
3/4" · 1-15/32" O.D.	* GF43634
7/8"	
1" · 2" O.D.	* GF4361

The Nutty Company, Inc. · www.nutty.com · 203-877-1709 · sales@nutty.com

Blank = standard size not listed online; call for availability.

20/24

Split Lock Washers

Hot-Dip Galvanized Steel



* = listed on nutty.com · 11 sizes listed · SKU under each size

Bolt size	Stocked
1/4"	* GLW14
5/16"	* GLW516
3/8"	* GLW38
1/2"	* GLW12
5/8"	* GLW58
3/4"	* GLW34
7/8"	* GLW78
1"	* GLW1
1-1/8"	* GLW118
1-1/4"	* GLW114
1-1/2"	* GLW112

Dock Washers

Hot-Dip Galvanized Steel



* = listed on nutty.com · 11 sizes listed · SKU under each size

Bolt size	2-1/4" O.D. × 3/16"	2-1/2" O.D. × 1/4"	2-1/2" O.D. × 3/16"	3" O.D. × 1/4"	3-1/4" O.D. × 1/4"	3-1/2" O.D. × 5/16"	4" O.D. × 3/8"
3/8"			* GDW38212				
1/2"	* GDW12214			* GDW123			
5/8"		* GDW58212		* GDW583			
3/4"				* GDW343			
7/8"				* GDW783		* GDW78312	
1"				* GDW13	* GDW1314		* GDW14

Ogee Washers

Hot-Dip Galvanized Steel

* = listed on nutty.com · 5 sizes listed · SKU under each size



Bolt size	Stocked
1/2"	* GOGW12
5/8"	* GOGW58
3/4"	* GOGW34
7/8"	* GOGW78
1"	* GOGW1

Square Plate Washers

Hot-Dip Galvanized Steel



* = listed on nutty.com · 13 sizes listed · SKU under each size · grey SKU = in system, not shown online

Bolt size	2" sq × 1/8"	2" sq × 3/16"	2-1/4" sq × 3/16"	2-1/4" sq × 3/16" curved	2-3/4" sq × 5/16"	3" sq × 1/4"	4" sq × 1/2"	4" sq × 3/8"	6" sq × 1/2"
1/2"	* GSW12218	* GSW122316				GSW12314			
5/8"	* GSW58218	* GSW582316	* GSW58214	* GSW58214C		* GSW58314		* GSW58438	
3/4"					* GSW34234516		* GSW34412	GSW34438	* GSW34612
1"							* GSW1412		* GSW1612