

Stocking List

Stainless Steel Metric Fasteners · A2 Stainless Steel



* = listed on nutty.com (SKU shown). Blank = standard size not listed online — call or email for availability.

- | | |
|--|--|
| 1. Socket Head Cap Screws – DIN 912 | 17. Serrated Flange Lock Nuts – DIN 6923 |
| 2. Button Head Socket Cap Screws – ISO 7380 | 18. Flange Nylon Insert Lock Nuts – DIN 6926 |
| 3. Flat Head Socket Cap Screws – DIN 7991 | 19. Hex Slotted Nuts – DIN 935 |
| 4. Socket Set Screws – Cup Point – DIN 916 | 20. Square Nuts – Standard – DIN 557 |
| 5. Hex Head Cap Screws – DIN 933 | 21. Square Nuts – Thin – DIN 562 |
| 6. Hex Flange Cap Screws – DIN 6921 | 22. Wing Nuts – DIN 315 |
| 7. Phillips Pan Head Machine Screws – DIN 7985 | 23. Cage Nuts – Art. 9039 |
| 8. Phillips Flat Head Machine Screws – DIN 965 | 24. Lifting Eye Nuts – DIN 582 |
| 9. Phillips Oval Head Machine Screws – DIN 966 | 25. Threaded Rod – 1 Meter Lengths – DIN 976-1 |
| 10. Hanger Bolts | 26. Flat Washers – DIN 125 |
| 11. Shouldered Lifting Eye Bolts – DIN 580 | 27. Flat Washers – Extra Thick – DIN 7349 |
| 12. Hex Nuts – DIN 934 | 28. Fender Washers – DIN 9021 |
| 13. Nylon Insert Lock Nuts – DIN 985 | 29. Split Lock Washers – DIN 127 |
| 14. Acorn (Cap) Nuts – DIN 1587 | 30. Wave Washers – DIN 137 |
| 15. Hex Rod Coupling Nuts – DIN 6334 | 31. Neoprene (EPDM) Bonded Washers – Art. 9055 |
| 16. Flange Nuts (Non-Serrated) – DIN 6923 | |

The Nutty Company, Inc. · sales@nutty.com · Most in-stock orders received by 12:00 noon EST ship the same day.

Socket Head Cap Screws

A2 Stainless Steel · DIN 912



* = listed on nutty.com · 159 sizes listed · SKU under each size

Length (mm) ↓ Diameter →	M2	M2.5	M3	M4	M5	M6	M8	M10	M12	M14	M16	M20	M24
Pitch (mm)	0.4	0.45	0.5	0.7	0.8	1	1.25	1.5	1.75	2	2	2.5	3
4	*												
	XMSHC24												
5				*									
				XMSHC45									
6	*	*	*	*									
	XMSHC26	XMSHC2.56	XMSHC36	XMSHC46									
8	*	*	*	*	*	*							
	XMSHC28	XMSHC2.58	XMSHC38	XMSHC48	XMSHC58	XMSHC68							
10	*	*	*	*	*	*	*						
	XMSHC210	XMSHC2.510	XMSHC310	XMSHC410	XMSHC510	XMSHC610	XMSHC810						
12	*	*	*	*	*	*	*						
	XMSHC212	XMSHC2.512	XMSHC312	XMSHC412	XMSHC512	XMSHC612	XMSHC812						
14						*							
						XMSHC614							
16	*	*	*	*	*	*	*	*					
	XMSHC216	XMSHC2.516	XMSHC316	XMSHC416	XMSHC516	XMSHC616	XMSHC816	XMSHC1016					
18						*							
						XMSHC618							
20	*	*	*	*	*	*	*	*	*				
	XMSHC220	XMSHC2.520	XMSHC320	XMSHC420	XMSHC520	XMSHC620	XMSHC820	XMSHC1020	XMSHC1220				
25			*	*	*	*	*	*	*				
			XMSHC325	XMSHC425	XMSHC525	XMSHC625	XMSHC825	XMSHC1025	XMSHC1225				
30			*	*	*	*	*	*	*		*		
			XMSHC330	XMSHC430	XMSHC530	XMSHC630	XMSHC830	XMSHC1030	XMSHC1230		XMSHC1630		
35			*	*	*	*	*	*	*		*		
			XMSHC335	XMSHC435	XMSHC535	XMSHC635	XMSHC835	XMSHC1035	XMSHC1235		XMSHC1635		
40			*	*	*	*	*	*	*		*	*	
			XMSHC340	XMSHC440	XMSHC540	XMSHC640	XMSHC840	XMSHC1040	XMSHC1240		XMSHC1640	XMSHC2040	
45			*	*	*	*	*	*	*		*	*	
			XMSHC345	XMSHC445	XMSHC545	XMSHC645	XMSHC845	XMSHC1045	XMSHC1245		XMSHC1645	XMSHC2045	
50			*	*	*	*	*	*	*		*	*	
			XMSHC350	XMSHC450	XMSHC550	XMSHC650	XMSHC850	XMSHC1050	XMSHC1250		XMSHC1650	XMSHC2050	
55					*	*	*	*	*				
					XMSHC555	XMSHC655	XMSHC855	XMSHC1055					
60				*	*	*	*	*	*		*	*	*
				XMSHC460	XMSHC560	XMSHC660	XMSHC860	XMSHC1060	XMSHC1260		XMSHC1660	XMSHC2060	XMSHC2460
65						*	*	*	*				
						XMSHC665	XMSHC865	XMSHC1065					
70					*	*	*	*	*		*	*	*
					XMSHC570	XMSHC670	XMSHC870	XMSHC1070	XMSHC1270		XMSHC1670	XMSHC2070	XMSHC2470
80					*	*	*	*	*		*	*	*
					XMSHC580	XMSHC680	XMSHC880	XMSHC1080	XMSHC1280		XMSHC1680	XMSHC2080	XMSHC2480
90					*	*	*	*	*		*	*	
					XMSHC590	XMSHC690	XMSHC890	XMSHC1090	XMSHC1290		XMSHC1690	XMSHC2090	
100					*	*	*	*	*		*	*	*
					XMSHC5100	XMSHC6100	XMSHC8100	XMSHC10100	XMSHC12100		XMSHC16100	XMSHC20100	XMSHC24100
110							*	*	*		*		
							XMSHC8110	XMSHC10110	XMSHC12110		XMSHC16110		
120							*	*	*		*	*	
							XMSHC8120	XMSHC10120	XMSHC12120		XMSHC16120	XMSHC20120	
130							*	*	*				
							XMSHC8130	XMSHC10130	XMSHC12130				
140							*	*	*				
							XMSHC8140	XMSHC10140					
150							*	*	*				
							XMSHC8150	XMSHC10150	XMSHC12150				

Button Head Socket Cap Screws

A2 Stainless Steel · ISO 7380



* = listed on nutty.com · 86 sizes listed · SKU under each size · grey SKU = in system, not shown online

Length (mm) ↓ Diameter →	M2	M2.5	M3	M4	M5	M6	M8	M10	M12	M16
Pitch (mm)	0.4	0.45	0.5	0.7	0.8	1	1.25	1.5	1.75	2
4	* XMBSC24		* XMBSC34							
5	* XMBSC25		* XMBSC35							
6	* XMBSC26		* XMBSC36	* XMBSC46	* XMBSC56					
8	XMBSC28		* XMBSC38	* XMBSC48	* XMBSC58	* XMBSC68				
10	* XMBSC210		* XMBSC310	* XMBSC410	* XMBSC510	* XMBSC610	* XMBSC810			
12	* XMBSC212		* XMBSC312	* XMBSC412	* XMBSC512	* XMBSC612	* XMBSC812			
14					* XMBSC514	* XMBSC614				
16			* XMBSC316	* XMBSC416	* XMBSC516	* XMBSC616	* XMBSC816	* XMBSC1016		
18						* XMBSC618				
20			* XMBSC320	* XMBSC420	* XMBSC520	* XMBSC620	* XMBSC820	* XMBSC1020	* XMBSC1220	
25			* XMBSC325	* XMBSC425	* XMBSC525	* XMBSC625	* XMBSC825	* XMBSC1025	* XMBSC1225	
30			* XMBSC330	* XMBSC430	* XMBSC530	* XMBSC630	* XMBSC830	* XMBSC1030	* XMBSC1230	
35			* XMBSC335	* XMBSC435	* XMBSC535	* XMBSC635	* XMBSC835	* XMBSC1035	* XMBSC1235	
40			* XMBSC340	* XMBSC440	* XMBSC540	* XMBSC640	* XMBSC840	* XMBSC1040	* XMBSC1240	
45					* XMBSC545	* XMBSC645	* XMBSC845	* XMBSC1045		
50				* XMBSC450	* XMBSC550	* XMBSC650	* XMBSC850	* XMBSC1050	* XMBSC1250	
55						* XMBSC655				
60					* XMBSC560	* XMBSC660	* XMBSC860	* XMBSC1060		
65										
70						* XMBSC670	* XMBSC870	* XMBSC1070		

Flat Head Socket Cap Screws

A2 Stainless Steel · DIN 7991



* = listed on nutty.com · 86 sizes listed · SKU under each size · grey SKU = in system, not shown online

Length (mm) ↓ Diameter →	M3	M4	M5	M6	M8	M10	M12	M16	M20
Pitch (mm)	0.5	0.7	0.8	1	1.25	1.5	1.75	2	2.5
6	* XMFSC36								
8	* XMFSC38	* XMFSC48	* XMFSC58	* XMFSC68					
10	* XMFSC310	* XMFSC410	* XMFSC510	* XMFSC610	XMFSC810				
12	* XMFSC312	* XMFSC412	* XMFSC512	* XMFSC612	* XMFSC812				
16	* XMFSC316	* XMFSC416	* XMFSC516	* XMFSC616	* XMFSC816	* XMFSC1016			
20	* XMFSC320	* XMFSC420	* XMFSC520	* XMFSC620	* XMFSC820	* XMFSC1020	* XMFSC1220		
25	* XMFSC325	* XMFSC425	* XMFSC525	* XMFSC625	* XMFSC825	* XMFSC1025	* XMFSC1225		
30	* XMFSC330	* XMFSC430	* XMFSC530	* XMFSC630	* XMFSC830	* XMFSC1030	* XMFSC1230	* XMFSC1630	
35		* XMFSC435	* XMFSC535	* XMFSC635	* XMFSC835	* XMFSC1035	* XMFSC1235		
40		* XMFSC440	* XMFSC540	* XMFSC640	* XMFSC840	* XMFSC1040	* XMFSC1240	* XMFSC1640	
45		* XMFSC445	* XMFSC545	* XMFSC645	* XMFSC845	* XMFSC1045	* XMFSC1245		
50		* XMFSC450	* XMFSC550	* XMFSC650	* XMFSC850	* XMFSC1050	* XMFSC1250	* XMFSC1650	
55									
60			* XMFSC560	* XMFSC660	* XMFSC860	* XMFSC1060	* XMFSC1260	* XMFSC1660	
65									
70				* XMFSC670	* XMFSC870	* XMFSC1070	* XMFSC1270		
80				* XMFSC680	* XMFSC880	* XMFSC1080	* XMFSC1280		
90					* XMFSC890				
100					* XMFSC8100	* XMFSC10100	* XMFSC12100		

Socket Set Screws – Cup Point

A2 Stainless Steel · DIN 916



* = listed on nutty.com · 70 sizes listed · SKU under each size

Length (mm) ↓ Diameter →	M2	M2.5	M3	M4	M5	M6	M8	M10	M12	M16
Pitch (mm)	0.4	0.45	0.5	0.7	0.8	1	1.25	1.5	1.75	2
3	* XMSSS23		* XMSSS33							
4	* XMSSS24		* XMSSS34	* XMSSS44						
5	* XMSSS25		* XMSSS35	* XMSSS45	* XMSSS55					
6	* XMSSS26		* XMSSS36	* XMSSS46	* XMSSS56	* XMSSS66				
8			* XMSSS38	* XMSSS48	* XMSSS58	* XMSSS68	* XMSSS88			
10			* XMSSS310	* XMSSS410	* XMSSS510	* XMSSS610	* XMSSS810	* XMSSS1010		
12			* XMSSS312	* XMSSS412	* XMSSS512	* XMSSS612	* XMSSS812	* XMSSS1012	* XMSSS1212	
16			* XMSSS316	* XMSSS416	* XMSSS516	* XMSSS616	* XMSSS816	* XMSSS1016	* XMSSS1216	
20			* XMSSS320	* XMSSS420	* XMSSS520	* XMSSS620	* XMSSS820	* XMSSS1020	* XMSSS1220	
25			* XMSSS325	* XMSSS425	* XMSSS525	* XMSSS625	* XMSSS825	* XMSSS1025	* XMSSS1225	
30				* XMSSS430	* XMSSS530	* XMSSS630	* XMSSS830	* XMSSS1030	* XMSSS1230	
35							* XMSSS835			
40						* XMSSS640	* XMSSS840	* XMSSS1040	* XMSSS1240	
45										
50						* XMSSS650	* XMSSS850	* XMSSS1050	* XMSSS1250	
55										
60							* XMSSS860		* XMSSS1260	

Hex Head Cap Screws

A2 Stainless Steel · DIN 933



* = listed on nutty.com · 129 sizes listed · SKU under each size

Length (mm) ↓ Diameter →	M3	M4	M5	M6	M8	M10	M12	M14	M16	M20	M24
Pitch (mm)	0.5	0.7	0.8	1	1.25	1.5	1.75	2	2	2.5	3
6	* XMHC36	* XMHC46									
8	* XMHC38	* XMHC48	* XMHC58	* XMHC68							
10	* XMHC310	* XMHC410	* XMHC510	* XMHC610							
12	* XMHC312	* XMHC412	* XMHC512	* XMHC612	* XMHC812						
16	* XMHC316	* XMHC416	* XMHC516	* XMHC616	* XMHC816	* XMHC1016					
20	* XMHC320	* XMHC420	* XMHC520	* XMHC620	* XMHC820	* XMHC1020	* XMHC1220	* XMHC1420			
25	* XMHC325	* XMHC425	* XMHC525	* XMHC625	* XMHC825	* XMHC1025	* XMHC1225	* XMHC1425			
30	* XMHC330	* XMHC430	* XMHC530	* XMHC630	* XMHC830	* XMHC1030	* XMHC1230	* XMHC1430			
35	* XMHC335	* XMHC435	* XMHC535	* XMHC635	* XMHC835	* XMHC1035	* XMHC1235	* XMHC1435			
40	* XMHC340	* XMHC440	* XMHC540	* XMHC640	* XMHC840	* XMHC1040	* XMHC1240	* XMHC1440			
45		* XMHC445	* XMHC545	* XMHC645	* XMHC845	* XMHC1045	* XMHC1245	* XMHC1445			
50		* XMHC450	* XMHC550	* XMHC650	* XMHC850	* XMHC1050	* XMHC1250	* XMHC1450			
55				* XMHC655	* XMHC855	* XMHC1055	* XMHC1255		* XMHC1655		
60		* XMHC460	* XMHC560	* XMHC660	* XMHC860	* XMHC1060	* XMHC1260	* XMHC1460			
65				* XMHC665	* XMHC865	* XMHC1065	* XMHC1265				
70			* XMHC570	* XMHC670	* XMHC870	* XMHC1070	* XMHC1270	* XMHC1470			
80				* XMHC680	* XMHC880	* XMHC1080	* XMHC1280	* XMHC1480			
90				* XMHC690	* XMHC890	* XMHC1090	* XMHC1290	* XMHC1490			
100				* XMHC6100	* XMHC8100	* XMHC10100	* XMHC12100	* XMHC14100			
110				* XMHC6110	* XMHC8110	* XMHC10110	* XMHC12110				
120					* XMHC8120	* XMHC10120	* XMHC12120				
130					* XMHC8130	* XMHC10130	* XMHC12130				
140					* XMHC8140	* XMHC10140	* XMHC12140				
150					* XMHC8150	* XMHC10150	* XMHC12150				
160							* XMHC12160 †				

Hex Flange Cap Screws

A2 Stainless Steel · DIN 6921

* = listed on nutty.com · 10 sizes listed · SKU under each size



Length (mm) ↓ Diameter →	M5	M6	M8	M10	M12
Pitch (mm)	0.8	1	1.25	1.5	1.75
12		* XMHF612			
16		* XMHF616			
20		* XMHF620	* XMHF820		
25		* XMHF625	* XMHF825		
30		* XMHF630	* XMHF830		
35					
40		* XMHF640	* XMHF840		

Phillips Pan Head Machine Screws

A2 Stainless Steel · DIN 7985



* = listed on nutty.com · 61 sizes listed · SKU under each size

Length (mm) ↓ Diameter →	M2	M2.5	M3	M4	M5	M6	M8	M10
Pitch (mm)	0.4	0.45	0.5	0.7	0.8	1	1.25	1.5
4	* XMPMP24	* XMPMP2.54						
5	* XMPMP25	* XMPMP2.55						
6	* XMPMP26	* XMPMP2.56	* XMPMP36	* XMPMP46				
8	* XMPMP28	* XMPMP2.58	* XMPMP38	* XMPMP48	* XMPMP58	* XMPMP68		
10	* XMPMP210	* XMPMP2.510	* XMPMP310	* XMPMP410	* XMPMP510	* XMPMP610		
12	* XMPMP212	* XMPMP2.512	* XMPMP312	* XMPMP412	* XMPMP512	* XMPMP612		
14				* XMPMP414				
16	* XMPMP216	* XMPMP2.516	* XMPMP316	* XMPMP416	* XMPMP516	* XMPMP616		
18				* XMPMP418				
20	* XMPMP220	* XMPMP2.520	* XMPMP320	* XMPMP420	* XMPMP520	* XMPMP620		
22				* XMPMP422				
25			* XMPMP325	* XMPMP425	* XMPMP525	* XMPMP625		
30			* XMPMP330	* XMPMP430	* XMPMP530	* XMPMP630		
35			* XMPMP335		* XMPMP535	* XMPMP635		
40			* XMPMP340		* XMPMP540	* XMPMP640		
45			* XMPMP345		* XMPMP545	* XMPMP645		
50			* XMPMP350		* XMPMP550	* XMPMP650		

Phillips Flat Head Machine Screws

A2 Stainless Steel · DIN 965



* = listed on nutty.com · 66 sizes listed · SKU under each size

Length (mm) ↓ Diameter →	M2	M2.5	M3	M4	M5	M6	M8	M10
Pitch (mm)	0.4	0.45	0.5	0.7	0.8	1	1.25	1.5
4	* XMFMP24	* XMFMP2.54	* XMFMP34					
5	* XMFMP25	* XMFMP2.55	* XMFMP35	* XMFMP45				
6	* XMFMP26	* XMFMP2.56	* XMFMP36	* XMFMP46	* XMFMP56			
8	* XMFMP28	* XMFMP2.58	* XMFMP38	* XMFMP48	* XMFMP58			
10	* XMFMP210	* XMFMP2.510	* XMFMP310	* XMFMP410	* XMFMP510	* XMFMP610		
12	* XMFMP212	* XMFMP2.512	* XMFMP312	* XMFMP412	* XMFMP512	* XMFMP612		
16	* XMFMP216	* XMFMP2.516	* XMFMP316	* XMFMP416	* XMFMP516	* XMFMP616		
20	* XMFMP220	* XMFMP2.520	* XMFMP320	* XMFMP420	* XMFMP520	* XMFMP620		
25			* XMFMP325	* XMFMP425	* XMFMP525	* XMFMP625		
30			* XMFMP330	* XMFMP430	* XMFMP530	* XMFMP630		
35			* XMFMP335	* XMFMP435	* XMFMP535	* XMFMP635		
40			* XMFMP340	* XMFMP440	* XMFMP540	* XMFMP640		
45				* XMFMP445	* XMFMP545	* XMFMP645		
50					* XMFMP550	* XMFMP650		
55								
60					* XMFMP560	* XMFMP660		
65								
70								
80					* XMFMP580	* XMFMP680		

Phillips Oval Head Machine Screws

A2 Stainless Steel · DIN 966



* = listed on nutty.com · 8 sizes listed · SKU under each size

Length (mm) ↓ Diameter →	M2	M2.5	M3	M4	M5	M6	M8	M10
Pitch (mm)	0.4	0.45	0.5	0.7	0.8	1	1.25	1.5
12						* XMOMP612		
16						* XMOMP616		
20						* XMOMP620	* XMOMP820	
25						* XMOMP625	* XMOMP825	
30						* XMOMP630	* XMOMP830	

The Nutty Company, Inc. · www.nutty.com · 203-877-1709 · sales@nutty.com

9/31

Length measured under the head (overall for flat/oval heads). Blank = standard size not listed online; call for availability.

Hanger Bolts

A2 Stainless Steel

* = listed on nutty.com · 7 sizes listed · SKU under each size



Length (mm) ↓ Diameter →	M6	M8	M10	M12
Pitch (mm)	1	1.25	1.5	1.75
160				* XMHB12160
180				* XMHB12180
200			* XMHB10200	* XMHB12200
250				* XMHB12250
300			* XMHB10300	
400				* XMHB12400

The Nutty Company, Inc. · www.nutty.com · 203-877-1709 · sales@nutty.com

Length measured under the head (overall for flat/oval heads). Blank = standard size not listed online; call for availability.

10/31

Shouldered Lifting Eye Bolts

A2 Stainless Steel · DIN 580



* = listed on nutty.com · 4 sizes listed · SKU under each size

Thread size	Stocked
M6 × 1	* XMLES6
M8 × 1.25	* XMLES8
M10 × 1.5	* XMLES10
M12 × 1.75	* XMLES12
M16 × 2	
M20 × 2.5	
M24 × 3	

Hex Nuts

A2 Stainless Steel · DIN 934

* = listed on nutty.com · 30 sizes listed · SKU under each size · grey SKU = in system, not shown online



Thread size ↓ Pitch →	Standard (coarse) pitch	Fine 1	Fine 1.25	Fine 1.5	Fine 2
M2 × 0.4	* XMHN2				
M2.5 × 0.45	* XMHN2.5				
M3 × 0.5	* XMHN3				
M4 × 0.7	* XMHN4				
M5 × 0.8	* XMHN5				
M6 × 1	* XMHN6				
M8 × 1.25	* XMHN8	* XMHN81.0			
M10 × 1.5	* XMHN10	* XMHN101.0	* XMHN101.25		
M12 × 1.75	* XMHN12		* XMHN121.25	* XMHN121.5	
M14 × 2	* XMHN14			* XMHN141.5	
M16 × 2	* XMHN16			* XMHN161.5	
M18 × 2.5	* XMHN18			* XMHN181.5	
M20 × 2.5	* XMHN20			* XMHN201.5	* XMHN202.0
M22 × 2.5	* XMHN22			* XMHN221.5	
M24 × 3	* XMHN24			XMHN241.5	
M27 × 3	* XMHN27				
M30 × 3.5	* XMHN30				
M33 × 3.5	* XMHN33				
M36 × 4	* XMHN36				

Nylon Insert Lock Nuts

A2 Stainless Steel · DIN 985



* = listed on nutty.com · 18 sizes listed · SKU under each size · grey SKU = in system, not shown online

Thread size ↓ Pitch →	Standard (coarse) pitch	Fine 1	Fine 1.25	Fine 1.5	Fine 2
M2.5 × 0.45	XMNLN2.5				
M3 × 0.5	* XMNLN3				
M4 × 0.7	* XMNLN4				
M5 × 0.8	* XMNLN5				
M6 × 1	* XMNLN6				
M8 × 1.25	* XMNLN8				
M10 × 1.5	* XMNLN10	* XMNLN101.0			
M12 × 1.75	* XMNLN12			* XMNLN121.5	
M14 × 2	* XMNLN14			* XMNLN141.5	
M16 × 2	* XMNLN16			* XMNLN161.5	
M18 × 2.5	* XMNLN18			* XMNLN181.5	
M20 × 2.5	* XMNLN20			* XMNLN201.5	
M22 × 2.5					
M24 × 3	* XMNLN24				
M27 × 3					
M30 × 3.5					

Acorn (Cap) Nuts

A2 Stainless Steel · DIN 1587

* = listed on nutty.com · 15 sizes listed · SKU under each size



Thread size ↓ Pitch →	Standard (coarse) pitch	Fine 1.25	Fine 1.5
M3 × 0.5	* XMAN3		
M4 × 0.7	* XMAN4		
M5 × 0.8	* XMAN5		
M6 × 1	* XMAN6		
M8 × 1.25	* XMAN8		
M10 × 1.5	* XMAN10	* XMAN101.25	
M12 × 1.75	* XMAN12	* XMAN121.25	
M14 × 2	* XMAN14		* XMAN141.5
M16 × 2	* XMAN16		* XMAN161.5
M18 × 2.5			
M20 × 2.5	* XMAN20		
M22 × 2.5			
M24 × 3	* XMAN24		

Hex Rod Coupling Nuts

A2 Stainless Steel · DIN 6334



* = listed on nutty.com · 6 sizes listed · SKU under each size

Thread size	25 mm long	30 mm long	40 mm long	50 mm long
M6 × 1	* XMRC625			
M8 × 1.25	* XMRC825			
M10 × 1.5		* XMRC1030		
M12 × 1.75			* XMRC1240	
M14 × 2				
M16 × 2				* XMRC1650
M20 × 2.5				* XMRC2050
M24 × 3				

Flange Nuts (Non-Serrated)

A2 Stainless Steel · DIN 6923

* = listed on nutty.com · 4 sizes listed · SKU under each size



Thread size	Stocked
M5 × 0.8	
M6 × 1	* XMFN6
M8 × 1.25	* XMFN8
M10 × 1.5	* XMFN10
M12 × 1.75	* XMFN12
M16 × 2	

Serrated Flange Lock Nuts

A2 Stainless Steel · DIN 6923



* = listed on nutty.com · 7 sizes listed · SKU under each size

Thread size	Stocked
M3 × 0.5	* XMSFN3
M4 × 0.7	* XMSFN4
M5 × 0.8	* XMSFN5
M6 × 1	* XMSFN6
M8 × 1.25	* XMSFN8
M10 × 1.5	* XMSFN10
M12 × 1.75	* XMSFN12
M16 × 2	

Flange Nylon Insert Lock Nuts

A2 Stainless Steel · DIN 6926

* = listed on nutty.com · 4 sizes listed · SKU under each size



Thread size	Stocked
M5 × 0.8	
M6 × 1	* XMFNLN6
M8 × 1.25	* XMFNLN8
M10 × 1.5	* XMFNLN10
M12 × 1.75	* XMFNLN12
M16 × 2	

Hex Slotted Nuts

A2 Stainless Steel · DIN 935

* = listed on nutty.com · 5 sizes listed · SKU under each size · grey SKU = in system, not shown online



Thread size	Stocked
M6 × 1	
M8 × 1.25	* XMSLN8
M10 × 1.5	* XMSLN10
M12 × 1.75	* XMSLN12
M14 × 2	* XMSLN14
M16 × 2	* XMSLN16
M20 × 2.5	XMSLN20
M24 × 3	

Square Nuts – Standard

A2 Stainless Steel · DIN 557

* = listed on nutty.com · 5 sizes listed · SKU under each size



Thread size	Stocked
M5 × 0.8	* XMSQN5
M6 × 1	* XMSQN6
M8 × 1.25	* XMSQN8
M10 × 1.5	* XMSQN10
M12 × 1.75	* XMSQN12
M16 × 2	

Square Nuts – Thin

A2 Stainless Steel · DIN 562

* = listed on nutty.com · 2 sizes listed · SKU under each size



Thread size	Stocked
M3 × 0.5	
M4 × 0.7	
M5 × 0.8	* XMSQNT5
M6 × 1	* XMSQNT6
M8 × 1.25	
M10 × 1.5	

Wing Nuts

A2 Stainless Steel · DIN 315



* = listed on nutty.com · 10 sizes listed · SKU under each size

Thread size	Stocked
M3 × 0.5	* XMWN3
M4 × 0.7	* XMWN4
M5 × 0.8	* XMWN5
M6 × 1	* XMWN6
M8 × 1.25	* XMWN8
M10 × 1.5	* XMWN10
M12 × 1.75	* XMWN12
M14 × 2	* XMWN14
M16 × 2	* XMWN16
M20 × 2.5	* XMWN20
M24 × 3	

Cage Nuts

A2 Stainless Steel · Art. 9039



* = listed on nutty.com · 3 sizes listed · SKU under each size

Thread size	Stocked
M4 × 0.7	
M5 × 0.8	
M6 × 1	* XMCGN6
M8 × 1.25	* XMCGN8B
M10 × 1.5	* XMCGN10

The Nutty Company, Inc. · www.nutty.com · 203-877-1709 · sales@nutty.com

Blank = standard size not listed online; call for availability.

Lifting Eye Nuts

A2 Stainless Steel · DIN 582

* = listed on nutty.com · 4 sizes listed · SKU under each size



Thread size	Stocked
M6 × 1	* XMEN6
M8 × 1.25	* XMEN8
M10 × 1.5	* XMEN10
M12 × 1.75	* XMEN12
M16 × 2	
M20 × 2.5	
M24 × 3	

Threaded Rod – 1 Meter Lengths

A2 Stainless Steel · DIN 976-1

* = listed on nutty.com · 13 sizes listed · SKU under each size



Thread size	1 meter length
M3 × 0.5	
M4 × 0.7	* XMTR4
M5 × 0.8	* XMTR5
M6 × 1	* XMTR6
M8 × 1.25	* XMTR8
M10 × 1.5	* XMTR10
M12 × 1.75	* XMTR12
M14 × 2	* XMTR14
M16 × 2	* XMTR16
M18 × 2.5	* XMTR18
M20 × 2.5	* XMTR20
M22 × 2.5	
M24 × 3	* XMTR24
M27 × 3	
M30 × 3.5	* XMTR30
M33 × 3.5	
M36 × 4	* XMTR36

Flat Washers

A2 Stainless Steel · DIN 125



* = listed on nutty.com · 14 sizes listed · SKU under each size

Bolt size	Stocked
M2	* XMFW2
M2.5	* XMFW2.5
M3	* XMFW3
M4	* XMFW4
M5	* XMFW5
M6	* XMFW6
M8	* XMFW8
M10	* XMFW10
M12	* XMFW12
M14	* XMFW14
M16	* XMFW16
M18	* XMFW18
M20	* XMFW20
M22	
M24	* XMFW24
M27	
M30	

Flat Washers – Extra Thick

A2 Stainless Steel · DIN 7349



* = listed on nutty.com · 7 sizes listed · SKU under each size

Bolt size	Stocked
M5	
M6	* XMHFW6
M8	* XMHFW8
M10	* XMHFW10
M12	* XMHFW12
M14	
M16	* XMHFW16
M20	* XMHFW20
M24	* XMHFW24
M30	

Fender Washers

A2 Stainless Steel · DIN 9021



* = listed on nutty.com · 4 sizes listed · SKU under each size

Bolt size ↓ O.D. →	15 mm O.D.	18 mm O.D.	24 mm O.D.	30 mm O.D.
M3				
M4				
M5	* XMFEN515			
M6		* XMFEN618		
M8			* XMFEN824	
M10				* XMFEN1030
M12				
M16				

The Nutty Company, Inc. · www.nutty.com · 203-877-1709 · sales@nutty.com

Blank = standard size not listed online; call for availability.

28/31

Split Lock Washers

A2 Stainless Steel · DIN 127



* = listed on nutty.com · 15 sizes listed · SKU under each size

Bolt size	Stocked
M2	* XMLW2
M2.5	* XMLW2.5
M3	* XMLW3
M4	* XMLW4
M5	* XMLW5
M6	* XMLW6
M8	* XMLW8
M10	* XMLW10
M12	* XMLW12
M14	* XMLW14
M16	* XMLW16
M18	* XMLW18
M20	* XMLW20
M22	
M24	* XMLW24
M27	
M30	* XMLW30

Wave Washers

A1 Stainless Steel · DIN 137



* = listed on nutty.com · 6 sizes listed · SKU under each size · grey SKU = in system, not shown online

Bolt size	Stocked
M3	
M4	* XMWW4
M5	* XMWW5
M6	* XMWW6
M8	* XMWW8
M10	* XMWW10
M12	* XMWW12
M16	XMWW16
M20	

Neoprene (EPDM) Bonded Washers

A2 Stainless Steel · Art. 9055



* = listed on nutty.com · 9 sizes listed · SKU under each size

Bolt size ↓ O.D. →	12 mm O.D.	16 mm O.D.	19 mm O.D.	25 mm O.D.	29 mm O.D.
M4					
M5	* XMBW512	* XMBW516	* XMBW519		
M6		* XMBW616	* XMBW619	* XMBW625	* XMBW629
M8				* XMBW825	
M10					* XMBW1029
M12					

The Nutty Company, Inc. · www.nutty.com · 203-877-1709 · sales@nutty.com
Blank = standard size not listed online; call for availability.

31/31